COATS & CLARK'S BOOK No. 103 29¢

BABY BOOK

of Knitting & Crochet



Featuring RED HEART Yarns

COATS & CLARK'S BOOK No. 103 29¢

BABY BOOK

of Knitting & Crochet



Featuring RED HEART Yarns

A babe in a house is a well-spring of pleasure

These words were written a century ago by Martin Farquhar Tupper, who simply and beautifully expressed what loving parents have known from the beginning of time to the present day. A baby does bring joy to its surroundings and in return demands nothing more than love and tender care. Those who have been blessed by the arrival of an infant son or daughter take pride in buying the best they can afford for the new member of the family. For proud mamas, aunts and grandmothers who pick up their knitting pins and crochet hooks to create a wardrobe for the most wonderful baby in the world, the best cloud-soft yarns are reasonably priced and easily available . . . COATS & CLARK'S RED HEART Quality Yarns, on sale at needlework counters everywhere.



COATS & CLARK'S RED HEART BABY WOOL is available in 1 oz. or 2 oz. "Tangle - Proof" Pull-Out skeins for your convenience.

Coats & Clark's O.N.T. Threads • Red Heart Yarns • Quality Zippers
Distributed by Coats & Clark's Sales Corp., 430 Park Ave., New York 22, N. Y.
Copyright 1958, Coats & Clark Inc. First Edition—658—Y-1664. Printed in U.S.A.

Baby's Sacque, Bonnet, Bootees and Mittens

B-100 *Infant Size*

Illustrated on Front Cover



COATS & CLARK'S RED HEART BABY WOOL, 3 Ply, Art. E. 277: 5 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 723 Baby Pink.

Knitting Pins, 1 pair No. 1.

2½ yards matching ribbon, ¼ inch wide.

GAUGE: 15 sts make 2 inches.

SACQUE

Starting at lower edge, cast on 184 sts. **1st row (Wrong side):** K across. **2nd row:** * K 1, leaving next st on the left-hand needle, k in the st directly below this st, slip both sts off together. Repeat from * across to within last 2 sts, k 2. **3rd row:** K across. **4th row:** K 2, * k in the st directly below next st, slip both sts off together, k 1. Repeat from * across. These 4 rows constitute pattern st. Work in pattern st for 1 inch, ending with first or 3rd row. Now work in stockinette st (k 1 row, p 1 row) for ½ inch, ending with a p row. **Next row (Right side):** P across. Now work first to 4th rows incl of pattern st for ¾ inch, ending with first or 3rd row. Continue to work in this manner, making a ½-inch stripe of stockinette st, ending with a p row, then p 1 row and make a ¾-inch stripe of pattern st until the 5th pattern st stripe is completed. Now continue in stockinette st only as follows: **Next row:** K next 43 sts (right front), place on a stitch holder to be worked later, bind off next 6 sts (armhole), k next 86 sts (Back), place on a stitch holder, bind off next 6 sts (armhole), k remaining 43 sts.

LEFT FRONT . . . Work in stockinette st (p 1 row, k 1 row) over the last set of sts only, decreasing 1 st at armhole edge every other row until 40 sts remain. Work without decreasing until piece measures 2½ inches from first row of armhole shaping, ending at front edge.

To Shape Neck: Bind off 14 sts, work across. Continue in stockinette st, decreasing 1 st at front edge every other row 2 times in all. Work without decreasing until piece measures 3¾ inches from first row of armhole shaping. Bind off remaining 24 sts for shoulder.

BACK . . . Slip sts from Back stitch holder onto knitting pin; attach yarn and work in stockinette st (p 1 row,

Continued on page 34



Baby's Bonnet, Bootees and Mittens

B-101 *Infant Size*

COATS & CLARK'S RED HEART BABY WOOL, 3 Ply, Art. E. 284: 2 skeins (2 oz. "Tangle-Proof" Pull-Out Skeins) of No. 1 White.

Milwards Steel Crochet Hook No. 1.

2 yards of white satin ribbon, ⅝ inch wide; 2 yards of white satin ribbon ¼ inch wide.

GAUGE: 8 sts make 1 inch; 9 rows make 1 inch.

BONNET

CROWN . . . Starting at center, ch 4. **1st rnd:** 11 dc in 4th ch from hook. Join with sl st to top of ch-3. **2nd rnd:** Sc in same place as sl st, make a dc around the ch 3 (a raised dc made and 1 st increased), * sc in next dc, dc around bar of same dc (another raised dc and 1 st increased). Repeat from * around. Join with sl st to first sc (12 raised dc's). **3rd rnd:** Sc in same place as sl st, sc in next raised dc, make a raised dc around bar of same raised dc (inc made), * sc in next sc, sc in next raised dc, make a raised dc around bar of same raised dc. Repeat from * around. Join (12 sc increased). **4th rnd:** Sc in same place as sl st, * sc in each sc to within next raised dc, raised dc around bar of next raised dc. Repeat from * around. Join (no increases). Work in pattern, increasing 1 sc in each raised dc every other rnd until piece measures 5 inches in diameter. **Next rnd:** Sc in back loop of each st of the next 10 sections to within raised dc. Ch 1, turn. Now work in rows as follows:

SIDE PIECE . . . **1st row (Wrong side):** Sc in each sc across. Ch 1, turn. **2nd row:** Sc in each sc and raised dc around bar of each raised dc below. Ch 1, turn. Repeat last 2 rows until Side Piece measures 4 inches in all, ending with 2nd row. Ch 1, turn.

CUFF . . . Starting with 2nd row (right side of cuff), work in pattern as before until cuff measures 1½ inches, ending with 2nd row. Break off.

EDGING . . . With right side of cuff facing, attach yarn at side edge to first row of cuff, sl st along short edge, long edge and opposite short edge. Turn. **Next row:** Sl st in same place as each sl st of previous row has been made. Break off.

Fold cuff back and tack ends in place. With right side of work facing, attach yarn to first st of bottom edge and sc closely across, holding in to fit. Break off. Do not turn. Attach yarn to first sc of previous row and work edging same as for cuff. Work 1 rnd of sl sts in free loop of each sc of last rnd of Crown. With wide ribbon, make 2 rosettes and sew to each side of front. Cut remaining wide ribbon in half and sew to each side at front for ties.

BOOTEES

SOLE . . . Starting at center, ch 20 to measure 2½ inches. **1st rnd:** 3 dc in 4th ch from hook, dc in next 2 ch, half dc in next ch, sc in next 2 ch, half dc in next ch, dc in next 3 ch, tr in next 6 ch, 9 tr in last ch (toe); working along opposite side of starting chain, make tr in next 6 ch, dc in next 3 ch, half dc in next ch, sc in next 2 ch, half dc in next ch, dc in next 2 ch, 3 dc in same place where first 3 dc were made. Join

Continued on page 9

Baby's Surplice Jacket, Cap and Bootees

B-102 *Size 6 months, 1 and 2*

Directions are given for Size 6 months. Changes for Sizes 1 and 2 are in parentheses.

COATS & CLARK'S RED HEART BABY WOOL, 3 Ply, Art. E. 277: 3 (4, 4) skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 261 Maize; and 1 skein of No. 679 Nile Green for all sizes.

Plastic Crochet Hook No. 4.

6 small buttons; 1 snap fastener.

GAUGE: 11 sts make 2 inches; 3 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	6 months	1	2
Chest	18"	20"	22"
Length of sleeve seam	6"	6½"	7"

JACKET

NOTE: A half dc has 3 loops at top instead of 2.

Starting at neck edge with Maize, ch 38 loosely. **1st row (Right side):** Half dc in 4th ch from hook (left front), ch 2 (seam sp), half dc in next 4 ch (left sleeve), ch 2 (seam sp), half dc in next 24 ch (back), ch 2 (seam sp), half dc in next 4 ch (right sleeve), ch 2 (seam sp), half dc in next 2 ch (right front). Ch 3, turn. **2nd row:** (Yarn over hook, insert hook in front loop of next half dc and complete a half dc—2 loops remain on back of work) twice, in next ch-2 sp make half dc, ch 2 and half dc (half dc increased on front and on sleeve), * make half dc in front loop of each st to within next seam sp, inc 2 half dc in the seam sp as before. Repeat from * across, ending with 2 half dc in top of turning chain (half dc increased). Ch 3, turn. **3rd row:** Picking up back loop only of each st—2 loops remain on front of work—make half dc in each st, increasing 2 half dc in each seam sp as before and ending with 2 half dc in top of turning chain. Ch 3, turn. Repeat 2nd and 3rd rows alternately until there are 24 (30, 36) sts across each front including the ch-3 at the beginning of the row; 26 (32, 38) sts across each sleeve and 46 (52, 58) sts across the back. Ch 3, turn.

Next row: Continuing in pattern, work across front, half dc in next seam sp, ch 4, skip sleeve sts, half dc in next seam sp, work across back, half dc in next seam sp, ch 4, skip sleeve sts, half dc in next seam sp, work across next front, increasing 1 st at end of row. **Following row:** Work in pattern across, making a half dc in each ch and increasing 1 st at end of row. Ch 3, turn. Continue to work in this manner until there are on row 138 (156, 174) sts. Now work without increasing until piece measures from last row of sleeve 5¼, (5¾, 6¼) inches. Break off.

SLEEVES . . . Working along opposite side of the ch-4 at underarm, attach

Continued on page 7

B-102 *Continued from page 6*

Maize to 3rd ch, ch 2, half dc in same place and in next ch, half dc in next seam sp, work in pattern across sleeve sts, half dc in next seam sp, half dc in next 2 ch. Ch 2, turn. **Next row:** Work in pattern across to within turning chain. Ch 2, turn. Continue to work in pattern across these sts without increasing until piece measures 5¼ (5¾, 6¼) inches, ending on wrong side of work. Ch 1, turn.

CUFF . . . **1st row:** Sc in next half dc, * ch 1, skip next half dc, sc in next half dc. Repeat from * across, ending with sc in top of turning chain. Drop Maize; do not turn. **2nd row:** Attach Nile Green to first sc, sc in same place, * sc in next ch-1 sp, ch 1. Repeat from * across, ending with sc in last ch-1 sp, sc in last sc. Drop Nile Green, pick up Maize. Ch 1, turn. **3rd row:** Sc in first sc, * ch 1, sc in next ch-1 sp. Repeat from * across, ending with ch 1, sc in last sc. Do not turn. Drop Maize, pick up Nile Green. Ch 1, turn. **4th row:** Sc in first sc, * sc in next ch-1 sp, ch 1, and complete as for 2nd row. Break off. **5th row:** Pick up Maize, ch 1, turn and repeat 3rd row. Break off.

WAISTBAND . . . Working along lower edge of jacket, repeat first to 5th rows incl of Cuff.

Continued on page 8



B-102 *Continued from page 7*

FRONT AND NECK BAND: 1st row: With right side facing attach Maize to lower edge of right front, sc along right front edge, neck edge and left front edge. Break off. **2nd row:** With Maize sc in first sc, * ch 1, skip next sc, sc in next sc. Repeat from * across. Drop Maize. **3rd, 4th and 5th rows:** Repeat 2nd, 3rd and 4th rows of Cuffs. **6th row:** Mark with a pin ¼ inch up from lower edge of Right Front for girls and Left Front for boys for first buttonhole and 1 inch apart for 3 more buttonholes and work as for 5th row of cuff making ch-3 loops over each pin mark.

Block to measurements. Sew sleeve seams. Sew buttons in place. Sew snap fastener at opposite corner of front.

CAP

Starting at center of Crown with Maize, ch 2. **1st rnd:** 6 sc in 2nd ch from hook. **2nd rnd:** 2 sc in each sc around (12 sc). **3rd rnd:** * 2 sc in next sc (1 sc increased), sc in next sc. Repeat from * around (18 sc). Continue to work sc in each sc around, increasing 6 sc evenly on each rnd until piece measures 4 (4½, 5) inches in diameter. Work 1 rnd without increasing. Now work in rows as follows: **1st row:** Sl st in next sc, ch 2, half dc in next sc and in each sc across – decreasing 4 sts evenly spaced – to within 1½ (2, 2½) inches of beginning of row. Ch 2, turn. Work in pattern as for Jacket for 3 (3, 3½) inches, ending on wrong side of work; ch 1, turn.

CUFF . . . Work as for Cuff on Sleeve. With Maize work 2 rows of sc along lower edge of Cap.

CORD (Make 2) . . . With Maize make a chain 14 inches long. Sl st in 2nd ch from hook and in each ch across. Break off. Sew a cord at each side of Cap.

POMPON (Make 2) . . . Cut 2 cardboard circles, each 1½ inches in diameter. Cut a hole ½ inch in diameter in center of each cardboard circle. Cut one 5-yard length of each color of yarn. Place circles together and wind yarn around the double circles, drawing yarn through center opening and over edge until center hole is filled (using more lengths of yarn if necessary). Cut yarn around outer edge between the 2 circles. Double ½ yard length of Maize, slip between the 2 circles and tie securely around strands of Pompon. Remove cardboard and trim evenly. Sew a pompon to end of each cord.

BOOTEES

SOLE . . . Starting at center, ch 20 to measure 3 inches. **1st rnd:** 3 dc in 4th ch from hook, dc in next 2 ch, half dc in next ch, sc in next 2 ch, half dc in next ch, dc in next 3 ch, tr in next 6 ch, 9 tr in last ch; working along opposite side of starting chain, make tr in next 6 ch, dc in next 3 ch, half dc in next ch, sc in next 2 ch, half dc in next ch, dc in next 2 ch, 3 dc in same place where first 3 dc were made. Join with sl st in top of turning chain. **2nd, 3rd and 4th rnds:** Sc in each st around, increasing as necessary to keep work flat. Join and break off at end of 4th rnd.

UPPER—Instep . . . Starting at center, ch 10. **1st row:** Sc in 2nd ch from hook and in each ch across, 3 sc in last ch; working along opposite side of starting chain, make sc in each ch across. Ch 1, turn. **2nd to 5th rows incl:** Sc in each sc across, increasing 3 sc evenly across rounded end. Ch 1, turn. At end of 5th row ch 30 and join with sl st to first sc.

SIDE PIECE . . . 1st rnd: Sc in each sc to within 7 center sc across front, (2 sc in next sc) 7 times, sc in each sc and in each ch around. **2nd, 3rd and 4th rnds:** Sc in each sc around. Join and break off at end of 4th rnd. Working along opposite side of the ch 30, sc in each ch around, make 6 sc across instep edge. Join and break off.

ANKLE STRAP . . . With Maize ch 23. With wrong side of upper facing sc in each of 7 sc at center back of heel, ch 24. **1st row:** Sc in 3rd ch from hook,

Continued on page 9

B-102 *Continued from page 8*

* ch 1, skip 1 st, sc in next st. Repeat from * across. Break off. **2nd row:** Attach Nile Green and work as for 2nd row of Cuff, making a ch-2 sp for buttonhole after first sc for left bootee and before last sc for right bootee. Break off at end of row. **3rd row:** With Maize sc along narrow edge, work as for 3rd row of Cuff, making 2 sc in the ch-2 sp, sc along next narrow edge. Break off.

Pin Sole in place. Working through both thicknesses, attach Maize at center back and sc closely around. Join and break off. Sew a button on each ankle strap to correspond with buttonhole.

Make 2 pompons as for Cap and sew one to center of each instep.

B-101 *Continued from page 5*

with sl st in 3rd ch of starting chain. **2nd rnd:** Sc in each st around, increasing 3 sts evenly spaced at curved ends of each rnd to keep work flat. Join. Repeat 2nd rnd 3 times more. Join. Yarn is at center back.

SIDE PIECE . . . Mark off 7 sts across center of front end. **1st row (turning row):** Sc in back loop of each sc to first marker, sc, dc and sc in next sc, sc in next 5 sc; sc, dc, and sc in next sc, sc in each sc across. Ch 1, turn. **2nd row:** Sc in each st across. Ch 1, turn. **3rd row:** Sc to within first dc of previous row, make a raised dc around bar of first dc, sc in next 7 sc, raised dc around bar of next dc, sc across. Ch 1, turn. Repeat 2nd and 3rd rows until Side Piece measures ¾ inch, ending with 3rd row. Break off.

INSTEP . . . 1st row: With wrong side of work facing, attach yarn to back of first raised dc, make an sc in same place, sc in next 7 sc, sc in next raised dc. Ch 1, turn. **2nd row:** Raised dc around bar of first raised dc, sc in next 7 sc, raised dc around bar of next raised dc. Ch 1, turn. **3rd row:** Sc in each st across. Repeat last 2 rows until Instep measures 1¾ inches, ending with a raised dc row. Break off. Holding Instep and Side Piece together, sew together for 1¾ inches on each side.

BEADING AND TOP OF BOOTEE . . . 1st row: With wrong side of work facing, attach yarn at back edge and sc in each st of Side Piece, Instep, and opposite side of Side Piece. Ch 4, turn. **2nd row (Beading):** Skip first 2 sc, dc in next sc, * ch 1, skip 1 sc, dc in next sc. Repeat from * across. Ch 1, turn. **3rd row:** Sc in first dc, sc in each sp and in each dc across. Ch 1, turn. Now work same as Side Piece, continuing raised dc's on each side of center 7 sc, until piece measures 2 inches from Beading, ending with a raised dc row. Break off. Work Edging same as on Bonnet. Break off.

Sew back seam. Lace narrow ribbon through beading at ankle, leaving enough ribbon free for ties.

MITTENS

Starting at tip, ch 2. **1st rnd:** 6 sc in 2nd ch from hook. **2nd rnd:** 2 sc in each sc around. **3rd rnd:** * 2 sc in next sc (1 sc increased), sc in next sc. Repeat from * around. **4th rnd:** Sc in each sc around, increasing 6 sts evenly spaced. Repeat 4th rnd 4 times more (48 sts). Now work without increasing until piece measures 3 inches from tip. **Next rnd (Beading):** Ch 4, * skip 1 sc, dc in next sc, ch 1. Repeat from * around. Join in 3rd ch of ch-4. Now work in rows as follows: Ch 1, turn.

CUFF . . . 1st row: Sc in same place as sl st, sc in each sp and in each dc across. Ch 1, turn. **2nd row:** * Sc in next 8 sc, raised dc around dc directly below (inc). Repeat from * across (54 sts). Ch 1, turn. **3rd row:** Sc in each st across. Ch 1, turn. **4th row:** * Sc in next 8 sc, raised dc around bar of raised dc. Repeat from * across. Ch 1, turn. Repeat last 2 rows until Cuff measures 2 inches from Beading, ending with a raised dc row. Break off. Work edging same as edging on Bonnet. Sew seam at back of cuff. Lace narrow ribbon through Beading, leaving enough ribbon for ties.

Baby's Cap, Mittens and Bootees

B-103 *Infant Size*

COATS & CLARK'S RED HEART POMPADOUR, 3 Ply, Art. E. 278: 2 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 723 Baby Pink.

Plastic Knitting Pins, 1 pair No. 3.

1½ yards white lace, ¾ inch wide; 2 yards of matching ribbon, ⅝ inch wide for cap. 2 yards of matching ribbon, ¼ inch wide, for bootees and mittens.

GAUGE: 15 sts make 2 inches; 11 rows make 1 inch.

CAP

Starting at center of crown, cast on 7 sts. **1st and all uneven rows:** P across. **2nd row (Right side):** * O, k 1. Repeat from * across (7 sts increased). **4th row:** * O, k 2. Repeat from * across. Continue in this manner, increasing 7 sts and having 1 st more between the O's on every other row until there are 91 sts on row, ending with a p row. K next 8 rows (4 ridges). **Following row (Right side):** K 12, (O, k 2 tog, k 11) 5 times, O, k 2 tog, k 12. **Next row:** P 12, (O, p 2 tog, p 11) 5 times, O, p 2 tog, p 12. Repeat last 2 rows for 3½ inches.

CUFF . . . K next 8 rows (4 ridges). **Following 3 rows:** K 1, * O, k 2 tog. Repeat from * across. Bind off loosely.

Seam back of cap to first ridge. Block to size. Work 3 rows of sc along side and back edges. Ruffle lace and sew 2 rows of lace under cuff. Cut 2 ties of ribbon, each 13 inches long, and sew in place. Make 2 rosettes of remaining ribbon and sew one to each side.

MITTENS

Starting at cuff, cast on 45 sts. **1st row:** K across. **2nd, 3rd and 4th rows:** K 1, * O, k 2 tog. Repeat from * across. **Next 8 rows:** K across (4 ridges). Now work in pattern as follows: **1st row:** K 5, (O, k 2 tog, k 9) 3 times, O, k 2 tog, k 5. **2nd row:** P 5, (O, p 2 tog, p 9) 3 times, O, p 2 tog, p 5. Repeat last 2 rows for 1 inch, ending with a p row. **Next row (Beading):** K 1, * O, k 2 tog, k 2. Repeat from * across. **Following row:** P across. Now work in pattern as before for 1½ inches, ending with a p row. At end of last row p 2 tog (44 sts).

To Shape Tip: 1st row: (K 1, sl 1, k 1, p.s.s.o., k 16, k 2 tog, k 1, slip a marker on needle) twice. **2nd row:** P across, slipping markers. **3rd row:** (K 1, sl 1, k 1, p.s.s.o., k to within 3 sts before next marker, k 2 tog, k 1, slip marker) twice. Repeat 2nd and 3rd rows alternately until 20 sts remain, ending with a p row. **Next row:** (K 2 tog) 10 times. Break off, leaving a 20-inch length of yarn. Thread this yarn into a needle and draw through remaining sts, pull up tightly, sew side seam. Run ribbon through beading and tie in a bow.

BOOTEES

Work as for Mittens until beading has been completed, ending with a p row.

INSTEP . . . 1st row: K 16, O, k 2 tog, k 9, O, k 2 tog. Turn. **2nd row:** O, p 2 tog, p 9, O, p 2 tog, turn. Now work

Continued on page 14



Knitted Soaker (at top)
B-105 Directions on page 35

Crocheted Soaker (below) B-106 Directions on page 22

Baby's Ribbon-trimmed Bib

B-104 *Illustrated on page 12*

COATS & CLARK'S RED HEART NYLON POMPADOUR, 3 Ply, Art. E. 261: 1 skein (1 oz. "Tangle-Proof" Pull-Out Skein) of No. 261 Maize.

1½ yards of narrow ribbon; a small button.

GAUGE: 3 group sts make 1 inch; 5 rows make 1 inch.

Starting at lower edge, ch 42 loosely to measure 7 inches. **1st row:** Sc in 4th ch from hook (half group st made), * skip 1 ch, in next ch make sc, ch 2 and sc (group st made). Repeat from * across (19½ group sts). Ch 3, turn. **2nd row:** Sc in first ch-2 sp, * group st in next ch-2 sp. Repeat from * across, ending with group st in half group st (19½ group sts). Ch 3, turn. Repeat 2nd row until piece measures 4¾ inches. Ch 3, turn.

To Shape Neck: 1st row: Work same as 2nd row until there are 7½ group sts, 2 sc in each of next 4 group sts (front of neck), work 8 group sts. Ch 3, turn.

Now work over the last set of group sts only as follows: **2nd row:** Work until there are 6½ group sts, sc in next group st (a dec made). Ch 3, turn. **3rd row:** Sc in first ch-2 sp, group st in next 6 group sts. Ch 3, turn. **4th row:** Work until there are 4½ group sts, sc in next group st. Ch 3, turn. **5th row:** Sc in first ch-2 sp, group st in next 4 group sts. Ch 3, turn. **6th to 10th rows incl:** Work in pattern (4½ group sts). Ch 3, turn. **11th row:** Group st in first ch-2 sp (an inc), group st in each remaining group st (5 group sts). Ch 3, turn. **12th row:** Work in pattern, ending with group st in turning ch-3 (an inc—5½ group sts). Ch 3, turn. **13th to 18th rows incl:** Repeat 11th and 12th rows (8½ group sts at end of 18th row). Ch 3, turn. **19th and 20th rows:** Work in pattern (8½ group sts). Break off (back of neck). Attach yarn in ch-2 sp of next group st beyond front of neck, ch 1, sc in same place, group st in next group st and complete row. Ch 3, turn. Work to correspond with other side. Break off.

EDGING . . . 1st row: Attach yarn to first ch-2 sp at back of neck, ch 1, 2 sc in same place and in each ch-2 sp along last row to corner; in corner ch-3 sp make 2 sc, ch 2 and 2 sc; 2 sc in turning chain of every other row along long edge to corner; in corner make 2 sc, ch 2 and 2 sc; 2 sc in base of each group st along lower edge; work remainder of piece to correspond. Ch 3, turn. **2nd row:** Group st in next sc, * skip 1 sc, group st in next sc. Repeat from * around, making a group st in each corner ch-2 sp. Ch 3, turn. **3rd and 4th rows:** Group st in each group st around. Ch 3, turn. At end of 4th row, omit turning chain, do not turn but work sc evenly to neck edge, ch 5 for button-loop, sc in same place as last sc, sc along remainder of neck edge, ch 1, turn and work sl st loosely in each sc. Break off.

Run ribbon through eyelets formed by first row of edging. Make a bow at left corner. Sew on button to correspond with buttonloop.

Baby's Crocheted Afghan

B-107 *Measures 39 x 40 inches*

COATS & CLARK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E. 230-B: 7 skeins (2 oz. "Tangle-Proof" Pull-Out Skeins) of No. 1 White and 6 skeins of No. 818 Blue Jewel.

Plastic Crochet Hook No. 6.

GAUGE: 2 3-dc groups make 1½ inches; 2 rows make 1 inch.

Starting at center with Blue Jewel, ch 6. **1st rnd:** In 4th ch from hook make 2 dc, ch 3 and 3 dc (first corner made); skip next ch, in last ch make (3 dc, ch 3) twice and 3 dc (2 corners made); working on opposite side of starting chain, skip next ch, in same place where first corner was made make 3 dc, ch 3, join with sl st to top of ch-3 (4th corner made). Drop Blue Jewel, attach White to same place where sl st was made. **2nd rnd:** With White ch 3, 2 dc in ch-3 sp of 4th corner of previous rnd, in ch-3 sp of first corner make 3 dc, ch 3 and 3 dc (corner over corner made); 3 dc between next 2 dc groups, (make a corner over next corner) twice, 3 dc between next 2 dc groups, 3 dc, ch 3 in corner where first dc group was made, drop White, pick up Blue Jewel and join with sl st to top of ch-3. **Always change colors in this manner. 3rd rnd:** With Blue Jewel ch 3, 2 dc in last corner sp of previous rnd, * 3 dc between next 2 dc groups, make corner over corner, (3 dc between next 2 dc groups) twice, corner over corner, 3 dc between next 2 dc groups, corner over corner, (3 dc between next 2 dc groups) twice, 3 dc, ch 3 in same sp where first dc group was made, drop Blue Jewel, pick up White and join. Continue in this manner, alternating rnds of White and Blue Jewel, working corner over corner and having 4 dc groups more on each rnd, until all Blue Jewel has been used up. Last rnd is made with Blue Jewel and piece should measure about 37 x 38 inches. Break off.

EDGING . . . With right side facing, attach White to any corner sp, ch 1, in same corner sp make sc, ch 2 and 3 dc (shell made); skip next dc, in next dc make sc, ch 2 and 3 dc (another shell made), skip next 2 dc. Continue in this manner, making a shell in center dc of each dc group and in each corner sp. Join and break off. Block to measurements.

B-103 *Continued from page 10*

in pattern over these 13 sts only for 2 inches, ending with a p row. Break off.

FOOT . . . With right side facing, using the needle with the 16 sts, pick up and k 11 sts along right side of instep, then k the 13 Instep sts, pick up and k 11 sts along other side of instep, k remaining 16 sts. Now work in stockinette st (p 1 row, k 1 row) over the 67 sts for 1 inch, ending with a p row.

To Shape Foot: 1st row: K 1, k 2 tog, k 23, sl 1, k 2 tog, p.s.s.o., k 9, k 3 tog, k 23, k 2 tog, k 1. **2nd and 4th rows:** P across. **3rd row:** K 1, k 2 tog, k 21, sl 1, k 2 tog, p.s.s.o., k 7, k 3 tog, k 21, k 2 tog, k 1. **5th row:** K 1, k 2 tog, k 19, sl 1, k 2 tog, p.s.s.o., k 5, k 3 tog, k 19, k 2 tog, k 1. **6th row:** P across. Bind off.

Sew sole and back seam. Run ribbon through beading and tie ends in front into a bow.





Baby's Cap, Bootees and Mittens

B-108 *Infant Size*

COATS & CLARK'S RED HEART POMPADOUR, 3 Ply, Art. E. 278: 2 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 679 Nile Green for Cap; 1 skein each for Mittens or Bootees.

Milwards Steel Crochet Hook No. 1/0 (zero).

2 yards of white ribbon, ¼ inch wide.

2 small buttons for Cap.

GAUGE: Neckband: 7 sts make 1 inch; 7 rows make 1 inch.

Pattern st: 14 half dc or 7 star sts make 2 inches; 4 rows make 1¼ inches.

CAP

NECKBAND . . . Ch 11 to measure 1½ inches. **1st row:** Sc in 2nd ch from hook and in each ch across (10 sc). Ch 1, turn. **Hereafter work in back loops only. 2nd row:** Sc in first 2 sc, (ch 2 loosely, skip 2 sc, sc in next 2 sc) twice (2 buttonholes made). Ch 1, turn. **3rd row:** Sc in each sc and each ch across (10 sc). Ch 1, turn. **4th row:** Sc in each sc across. Ch 1, turn. Repeat 4th row until there are 71 rows in all. Now, working along one long edge, make 2 sc in the end of every other row (70 sc). Ch 2, turn.

COLLAR . . . 1st row (Wrong side): 2 half dc in first sc, * half dc in next 2 sc, 2 half dc in next sc. Repeat from * across (94 half dc). Ch 3, turn. **2nd row:** Insert hook in 2nd ch from hook and draw loop through, insert hook in next ch and draw loop through, (insert hook in **back** loop of next half dc and draw loop through) twice (5 loops on hook, all the same height), yarn over and draw through all loops on hook; ch 1 to fasten (star st made); * insert hook in fastening chain of last star st and draw loop through, do the same in last loop of last star st and in back loops of next 2 half dc (5 loops on hook, all same height as last star st), yarn over and draw through all loops on hook, ch 1 to fasten (another star st made). Repeat from * across (47 star sts). Ch 2, turn. **3rd row:** Half dc in fastening ch of first star st, 2 half dc in fastening ch of each star st across, half dc in top of turning chain (94 half dc). Ch 3, turn. Repeat 2nd and 3rd rows 2 times more. Break off.

EDGING . . . With right side facing attach yarn to right corner st of upper long edge of neckband, sc across to correspond with other long edge, making 3 sc in each corner, sc evenly along short edge of neckband and collar, half dc in both loops of each half dc along long collar edge and work next short edge to correspond. Join with sl st to first sc. Break off.

HOOD . . . Starting at cuff edge, ch 82 to measure 12½ inches. **1st row:** Half dc in 3rd ch from hook and in each ch across (80 half dc). Ch 3, turn. **2nd row:** Repeat 2nd row of Collar (40 star sts). Ch 2, turn. **3rd row:** Repeat 3rd row of Collar (80 half dc). Ch 2, turn. **4th row:** Half dc in **back** loop of each half dc. Cuff turns back here. Ch 3, turn. Repeat 2nd and 3rd rows of Collar until piece measures 7½ inches in all, ending with 3rd row. Break off. Fold piece in half and sew back seam. Turn right side out.

Continued on page 27

Striped Sacque and Bonnet

B-109 *Infant Size*

COATS & CLARK'S RED HEART BABY WOOL, 3 Ply, Art. E. 277: 3 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 1 White, and 1 skein each of No. 802 Baby Blue, No. 261 Maize and No. 679 Nile Green.

14-inch Knitting Pins, 1 pair No. 2.

1¼ yards of ribbon, ⅜ inch wide (for Sacque), 2 yards of ribbon, ⅝ inch wide (for Bonnet).

GAUGE: 7 sts make 1 inch; 12 rows make 1 inch.

BLOCKING MEASUREMENTS:
Chest—20 inches; Length from back of neck to lower edge—11 inches; Length of sleeve seam—6 inches.

SACQUE

LEFT SLEEVE AND YOKE . . . Starting at wrist with White, cast on 42 sts. Work in pattern as follows: **1st row (Wrong side):** P across. Drop White, attach Baby Blue. **2nd and 3rd rows:** With Baby Blue, k across. Drop Baby Blue, pick up White. **4th row:** With White, k across. **5th row:** P across. Drop White, attach Maize. **6th and 7th rows:** With Maize, k across. Drop Maize, pick up White. **8th row:** With White, k across. **9th row:** P across. Drop White, attach Nile Green. **10th row:** With Nile Green, k across, increasing 1 st at both ends. **11th row:** K across. Drop Nile Green, pick up White. **12th row:** With White, k across. **13th row:** P across. The 2nd to 13th rows incl constitute pattern. Work in pattern, increasing 1 st at both ends of every 10th row until there are 56 sts. If necessary, work without increasing until piece measures 6 inches in all. Place a marker at both ends of work. Continue in pattern until piece measures 3½ inches from markers measured straight up at center, ending on wrong side of work.

To Shape Neck (Left Front): Work over 28 sts; slip these sts to stitch holder to be worked later for back. Bind off next 4 sts, work to end of row. Continue in pattern, binding off 3 sts at neck edge every other row until all sts have been worked off. Break off.

Back of Neck: Slip 28 stitches from stitch holder to needle and work in pattern for 1½ inches, ending with a White stripe. Bind off.

RIGHT SLEEVE AND YOKE . . . Work exactly the same as Left Sleeve and Yoke, reversing neck shaping.

Sew Right and Left Backs together. Sew sleeve seams to markers.

BODY . . . With right side facing and White, working along lower edge of Yoke and starting at Left Front edge, pick up and knit 58 sts on Left Front, 118 sts on Back and 58 sts on Right Front. There are 234 sts on needle. Work beading row as follows: * P 2, O, p 2 tog. Repeat from * across, ending with p 2. With White, k 1 row, p 1 row. Starting with 2nd pattern row, work in pattern until piece measures 7 inches from first row of Body, ending with a White stripe. Bind off.

Block to measurements. With desired color, work 2 rows of sc, then 1 row of

Continued on page 27

Baby's Sacque, Cap, Bootees and Mittens

B-110 *Infant Size*

COATS & CLARK'S RED HEART POMPADOUR, 3 Ply, Art. E. 278: 5 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 217 Lavender.

COATS & CLARK'S RED HEART SUPER FINGERING, 3 Ply, Art. E. 239: 1 skein (1 oz. "Tangle-Proof" Pull-Out Skein) of No. 1 White.

Plastic Crochet Hooks No. 1 and No. 3.

5¼ yards of white satin ribbon, ¼ inch wide.

¾ yard of white satin ribbon, ¾ inch wide, for Cap.

GAUGE: 5 dc make 1 inch; 2 sc rows and 2 dc rows make 1 inch.

SACQUE

YOKE . . . Starting at neck edge with Lavender and No. 3 hook, ch 59. **1st row:** Sc in 2nd ch from hook and in each ch across (58 sc). Ch 3 to count as 1 dc, turn. **2nd row (Right side):** Skip first sc, dc in next 9 sc for Left Front, (2 dc in next sc) twice (2 dc increased), dc in next 5 sc for Sleeve, (2 dc in next sc) twice, dc in next 20 sc for Back, (2 dc in next sc) twice, dc in next 5 sc for Sleeve, (2 dc in next sc) twice, dc in next 10 sc for Right Front. Ch 1, turn. **3rd row:** Sc in next 11 dc, (inc 1 sc in next dc) twice, sc in next 7 dc, (inc 1 sc in next dc) twice, sc in next 22 dc, (inc 1 sc in next dc) twice, sc in next 7 dc, (inc 1 sc in next dc) twice, sc in next 10 dc and in top of turning chain. Ch 3, turn. Continue to work in this manner, making 1 dc row and 1 sc row alternately, having 1 st more on each front, 2 sts more on each sleeve and 2 sts more on back between the increases on each row until there are 162 dc on row. Ch 1, turn.

BODICE . . . Next row: Sc in next 24 sts, ch 5, skip next 33 sts, sc in next 48 sts, ch 5, skip next 33 sts, sc in remaining 24 sts. Ch 3, turn. **Following row (Beading):** Skip first sc, dc in each sc and in each ch across, decreasing 1 st—*to dec 1 st, work off 2 sts as 1 st* (105 dc on row). Ch 3, turn. Now work in shell pattern as follows: **1st row:** 2 dc in first st (half shell made), * skip next st, sc in next st, skip next st, 5 dc in next st (shell made). Repeat from * across, ending with 3 dc instead of 5 dc in top of turning chain (another half shell). Drop Lavender, do not turn. **2nd row:** Attach White to top of ch-3 of first half shell, sl st in same place, * ch 3, sc in same place as next sc of previous row was made (long sc made), ch 3, sl st in center dc of next shell. Repeat from * across, ending with sl st in last dc. Drop White, pick up Lavender. Ch 1, turn. **3rd row:** * Sc in next sl st, shell in next sc. Repeat from * across, ending with sc in last sl st. Drop Lavender, pick up White. **4th row:** Ch 1, * long sc over next sc, ch 3, sl st in center dc of next shell, ch 3. Repeat from * across, ending with long sc over last sc. Drop White, pick up Lavender. Ch 3, turn. **5th row:** Half shell in first sc, * sc in next sl st, shell in next sc. Repeat from * across, ending with half shell. Repeat 2nd to 5th rows incl until Bodice measures 5 inches in all, ending with a shell row on right side of work. Break off.

SLEEVES . . . 1st rnd: Attach Lavender to center chain of ch-5 at underarm, sc in

Continued on page 22



Crocheted Soaker B-106 *Illustrated on page 12*

COATS & CLARK'S RED HEART NYLON & WOOL, 3 Ply, Art. E. 270, or

COATS & CLARK'S RED HEART NYLON, 3 Ply, Art. E. 260: 3 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 261 Maize.

Milwards Steel Crochet Hook No. 1/0 (zero).

GAUGE: Waistband: 8 sc make 1 inch; 13 rows make 2 inches.

Pattern st: 17 sts (sc's and ch's) make 2 inches; 13 rows make 2 inches.

WAISTBAND . . . Starting at narrow edge, ch 12 to measure 1½ inches. **1st row:** Sc in 2nd ch from hook and in each ch across (11 sc). Ch 1, turn. **Hereafter, work in back loops only. 2nd row:** Sc in each sc across. Ch 1, turn. **3rd row:** Sc in next 5 sc, ch 1 loosely, skip 1 sc (eyelet made), sc in remaining 5 sc. Ch 1, turn. **4th row:** Sc in each sc and in the ch-1 sp (11 sc). Ch 1, turn. **5th and 6th rows:** Repeat 2nd row. Repeat 3rd to 6th rows incl 33 more times. Piece measures 21½ inches (34 eyelets in all). Break off.

SOAKER . . . Starting at point, ch 6. **1st row:** Sc in 4th ch from hook, ch 1, skip next ch, sc in last ch. Ch 4, turn. **2nd row:** Sc in 4th ch from hook (1 sp increased), ch 1, sc in next ch-1 sp, ch 1, sc in turning sp. Ch 4, turn. **3rd row:** Sc in 4th ch from hook (another increase), * ch 1, sc in next ch-1 sp. Repeat from * across, ending with ch 1, sc in turning sp. Ch 4, turn. Work as for 3rd row, increasing 1 sp on each row until row measures same as Waistband. At end of last row, ch 2, turn. **Next row:** * Sc in next ch-1 sp, ch 1. Repeat from * across, ending with ch 1, sc in turning sp. Sc evenly in ends of rows along both slanted edges. Break off.

Sew Waistband to last row of Soaker Piece. Sew ends of Waistband together. Turn point up to bottom of Waistband seam and sew edges for 5 inches.

CORD . . . Cut 3 strands of yarn, each 2½ yards long. Twist these strands tightly, then double the twisted strands and give them a twist in the opposite direction. Knot ends. Run Cord through eyelets in Waistband.

POMPON (Make 2) . . . Wind yarn 25 times around 2 fingers. Tie these strands at center. Cut loops at each end and trim. Fasten pompon to ends of cord.

B-110 *Continued from page 20*

same place and in next ch, 2 sc in next ch, sc in next 33 dc, 2 sc in next ch, sc in next ch. Join with sl st to first sc (40 sc). Ch 3, turn. **2nd rnd:** Dc in next 39 sc. Join to top of ch-3 (40 dc). Ch 1, turn. **3rd rnd:** Sc in same place as sl st and in each dc around. Join. Ch 3, turn. Repeat 2nd and 3rd rnds alternately until sleeve measures 5¼ inches, ending with an sc rnd.

BEADING AND CUFF . . . 1st rnd (Beading): Repeat 2nd rnd. **2nd rnd:** Repeat 3rd rnd. Do not turn hereafter. **3rd rnd (Shell rnd):** Sc in same place as sl st, * skip 1 sc, shell in next sc, skip 1 sc, sc in next sc. Repeat from * around, ending with skip last st, join to first sc. Break off.

EDGING . . . Attach White to first sc and make long sc over each sc and sc in each dc around. Join and break off.

FRONT EDGING AND BEADING . . . Attach Lavender to lower right corner and sc closely along right front edge, ending at neck edge, ch 3, dc in each ch across neck edge for beading, sc closely along left front edge. Break off.

EDGING . . . With right side facing, attach White to first sc at lower edge of left front, and work as for edging on sleeve across entire lower edge, now sc in each st along right front edge, neck edge and left front edge, making 3 sc in same place at each corner. Join and break off.

Draw narrow ribbon through each beading, leaving enough ribbon for ties.

Continued on page 23

B-110 *Continued from page 22*

CAP

Starting at center of crown with Lavender and No. 3 hook, ch 2. **1st rnd:** 8 sc in 2nd ch from hook. Join with a sl st in first sc. Ch 3 to count as 1 dc, turn. **2nd rnd:** Dc in same st as sl st, (2 dc in next st—an inc) 7 times. Join to top of ch-3 (16 dc). Ch 1, turn. **3rd rnd:** Sc in same st as sl st, 2 sc in next dc, * sc in next dc, 2 sc in next dc. Repeat from * around. Join (24 sts). Ch 3, turn. **4th rnd:** Dc in each st around, increasing 8 dc evenly spaced. Join. Ch 1, turn. **5th rnd:** Sc in each st around, increasing 8 sc evenly spaced. Join. Ch 3, turn. Repeat 4th and 5th rnds alternately until there are 64 dc on rnd. Ch 1, turn. **Next rnd:** Sc in each st around. Join and break off.

SIDE PIECE . . . 1st row: With right side facing, attach Lavender to 5th sc, sc in same place, (skip 1 sc, shell in next sc, skip 1 sc, sc in next sc) 14 times. Drop Lavender, do not turn. Continue to work in pattern as for Bodice until 9 shell rows have been completed.

EDGING . . . 1st row: With Lavender sc closely along entire neck edge. Break off. **2nd row:** With White work edging along shells as on Bodice, sc in each sc along neck edge. Join and break off. Cut a 9-inch piece of narrow ribbon and draw through neck edge. Cut ¾-inch ribbon in half and sew in place at sides.

BOOTEES

SOLE . . . Starting at center with Lavender and No. 1 hook, ch 20 to measure 2¾ inches. **1st rnd:** 3 dc in 4th ch from hook, dc in next 2 ch, half dc in next ch, sc in next 2 ch, half dc in next ch, dc in next 3 ch, tr in next 6 ch, 9 tr in last ch; working along opposite side of starting chain, make tr in next 6 ch, dc in next 3 ch, half dc in next ch, sc in next 2 ch, half dc in next ch, dc in next 2 ch, 3 dc in same place where first 3 dc were made. Join. **2nd to 5th rnds incl:** Sc in each st around, increasing as necessary across rounded ends to keep work flat. Join. Break off at end of 5th rnd.

UPPER . . . Starting at bottom of Instep with Lavender and No. 3 hook, ch 9. **1st row:** Sc in 2nd ch from hook and in each ch across. Ch 1, turn. **2nd to 8th rows incl:** Sc in each sc across. Ch 1, turn. Break off at end of last row. Ch 16, make 8 sc along side edge of Instep, 3 sc in corner sc, sc across next 6 sc, 3 sc in next sc, 8 sc along next side edge, ch 16. Join to first ch. **1st rnd:** Ch 1, sc in each ch and in each sc around. Join and turn. **2nd rnd:** Ch 3, skip first sc, dc in each sc around. Join and turn. **3rd rnd:** Ch 1, sc in same place as sl st and in each dc around. Join and turn. Repeat 2nd and 3rd rnds once more. Now holding upper and sole together, sc closely around. Join and break off.

CUFF . . . 1st rnd (Beading): Attach Lavender to center back of upper, ch 3, dc in each ch and in each sc around (40 dc). Join. Ch 1, turn. **2nd rnd:** Sc in each dc around, decreasing 4 sts evenly spaced (36 sc). **3rd rnd:** Work in shell pattern as for cuff of sleeve. Now attach White and continue in shell pattern until the 3rd shell rnd of Lavender has been completed. Break off Lavender. With White work Edging as for sleeve. Break off. Draw narrow ribbon through beading and tie in front.

MITTENS

PALM . . . Starting at center with Lavender and No. 3 hook, ch 13. **1st row:** Sc in 2nd ch from hook and in each ch across, making 5 sc in last ch (tip); working along opposite side of starting chain, sc in each ch across. Ch 3, turn. **2nd row:** Skip first sc, dc in each sc, increasing 5 dc around the tip. Ch 1, turn. **3rd row:** Sc in each dc, increasing 5 sc around the tip. Ch 3, turn. **4th row:** Repeat 2nd row. **5th row:** Sc in each dc. Break off.

BACK . . . Work as for Palm but do not break off at end of 5th row. Holding both pieces together and working through both thicknesses, sc in each st to end of row, then make 28 sc around wrist edge. Join.

BEADING, CUFF AND EDGING . . . Work exactly as for Beading, Cuff and Edging of sleeve. Trim with ribbon as on Bootees.

Baby's Jacket and Bonnet

B-111 *Infant Size*

COATS & CLARK'S RED HEART BABY WOOL, 3 Ply, Art. E. 277: 4 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 723 Baby Pink.

Knitting Pins, 1 pair No. 1 and 1 pair No. 2.

5 buttons.

GAUGE: 8 sts make 1 inch; 11 rows make 1 inch.

BLOCKING MEASUREMENTS: Width across back at underarm—10″; width across each front at underarm—6″; length from shoulder to lower edge—10″; length of sleeve seam—6″.

JACKET

BACK . . . Starting at lower edge with No. 1 knitting pins, cast on 80 sts. Work in ribbing of k 1, p 1 for 1 inch, increasing 1 st at the end of the last row. Change to No. 2 knitting pins and work in pattern as follows: **1st and 3rd rows:** Knit across. **2nd and 4th rows:** Purl across. **5th row:** P 1, * sl 1 as if to purl, k next 2 sts, p.s.s.o., p 1. Repeat from * across. **6th row:** K 1, * p 1, O, p 1, k 1. Repeat from * across. **7th row:** Repeat 5th row. **8th row:** P 2, * pick up and purl a stitch from row below, p 3. Repeat from * across, ending with p 2 (instead of p 3). The first to 8th rows incl constitute the pattern. Work in pattern until piece measures 6 inches in all, ending with a purl row.

To Shape Armholes: Bind off 4 sts at the beginning of next 2 rows. Dec 1 st at both ends of every other row until 65 sts remain. Work in pattern without decreasing until piece measures 4 inches from first row of armhole shaping, ending with a purl row.

To Shape Shoulders: Bind off 11 sts at the beginning of the next 4 rows. Bind off remaining 21 sts for the back of neck.

LEFT FRONT . . . Starting at lower edge with No. 1 knitting pins, cast on 48 sts. **1st row:** * K 1, p 1. Repeat from * across. **2nd row:** P 1, (k 1, p 1) 3 times (front band); * p 1, k 1. Repeat from * across, ending with p 1. Repeat last 2 rows alternately for 1 inch, ending with 2nd row. Change to No. 2 knitting pins and work as follows: **1st row:** K across to last 7 sts, (p 1, k 1) 3 times, p 1. **2nd row:** P 1, (k 1, p 1) 3 times, p across. Keeping the 7 sts of front band as established (seed st), work in pattern as for Back until piece measures 6 inches in all, ending at side edge.

To Shape Armholes: Bind off 4 sts at beginning of next row. Dec 1 st at armhole edge every other row until 40 sts remain. Work without decreasing until piece measures 2½ inches from first row of armhole shaping, ending at front edge.

To Shape Neck: Bind off 15 sts at beginning of next row. Dec 1 st at neck edge every other row until 22 sts remain. Work without decreasing until piece measures same as Back from first row of armhole shaping, ending at armhole edge.

To Shape Shoulder: 1st row: Bind off 11 sts, work across. **2nd row:** Work in pattern across. Bind off remaining sts.

Continued on page 26

B-111 *Continued from page 25*

With pins mark the position of 5 buttons evenly spaced on Left Front band, having the first pin mark ½ inch up from lower edge and the last one 1 inch below neck shaping.

RIGHT FRONT . . . Work as for Left Front until the first row is completed. **2nd row:** K 1, * p 1, k 1. Repeat from * across to last 7 sts, (k 1, p 1) 3 times, k 1 (front band). Position of front band is now established. Work as for Left Front, reversing shapings and making a buttonhole 3 sts in from front edge opposite each pin mark—*to make a buttonhole, on one row, bind off 2 sts and on the next row cast on 2 sts to replace those bound off.*

SLEEVES . . . Starting at lower edge with No. 1 knitting pins, cast on 44 sts. Work in ribbing of k 1, p 1 for 2 inches, increasing 1 st in last row. Change to No. 2 knitting pins and work in pattern as for Back, increasing 1 st at both ends of every 5th row until there are 61 sts on needle. Work without increasing until piece measures 6 inches in all, ending with same pattern row as for back before armhole shaping.

To Shape Top: Bind off 4 sts at the beginning of the next 2 rows. Dec 1 st at both ends of every other row until 25 sts remain. Bind off 2 sts at the beginning of the next 2 rows. Bind off remaining sts.

NECKBAND . . . Sew shoulder seams. With right side of work facing and No. 1 knitting pins, pick up and knit 84 sts along entire neck edge. Now work as follows: Work 7 sts in seed st (front border), p 2, * k 2, p 2. Repeat from * to last 7 sts, work in seed st (front border). **Next row:** Work 7 sts in seed st, k 2, * p 2, k 2. Repeat from * across to last 7 sts, work in seed st. Repeat the last 2 rows until neckband measures 1¾ inches. Bind off. Fold ribbing in half and tack loosely to wrong side.

Block to measurement. Sew side and sleeve seams. Sew in sleeves.

CORD . . . With 3 strands of yarn and crochet hook, make a chain to measure 30 inches. Draw through neckband, leaving ends free to tie in a bow.

TASSEL (Make 2) . . . Wind yarn 10 times around 2 fingers. Tie these strands at center, cut loops at each end and trim. Fasten a tassel to each end of cord.

BONNET

Starting at ruffle with No. 2 knitting pins, cast on 203 sts. **1st to 6th rows incl:** K 1, * p 1, k 1. Repeat from * across. **Next row:** K 1, * p 2 tog, k 2 tog. Repeat from * across—there are 102 sts on needle. Change to No. 1 knitting pins and work in ribbing of k 1, p 1 for 1½ inches decreasing 1 st in last row (101 sts). Change to No. 2 knitting pins and work in pattern as for back for 3½ inches, ending with a purl row. Bind off 34 sts at beginning of next row. Work in pattern across next 33 sts, bind off remaining 34 sts. Break off. Attach yarn to center 33 sts and purl across. Change to No. 1 knitting pins and work in ribbing of k 1, p 1 over these 33 sts until piece measures same as bound-off sts. Bind off in ribbing.

Sew back piece to bound-off sts. Fold ribbing of front in half and tack ruffle in place. With right side of work facing and No. 1 knitting pins, pick up and knit 78 sts along neck edge. Work in ribbing of k 1, p 1 for 4 rows. Work one row of Beading as follows: * K 1, p 1, O, k 2 tog. Repeat from * across to last 2 sts, k 1, p 1. Keeping continuity of ribbing work 6 rows more. Repeat beading row and 4 rows of ribbing. Bind off. Fold ribbing in half, matching holes of Beading and tack to wrong side.

CORD . . . Work as for cord of sacque. Lace through beading. Trim with tassels.

Buy the Best for your Baby —

***Buy* COATS & CLARK'S RED HEART *Quality* Yarns**

B-109 *Continued from page 18*

sl sts around all edges, including cuffs. Lace narrow ribbon through beading and tie in a bow.

BONNET

Starting at front edge with White, cast on 105 sts. Work in pattern as for Sacque until piece measures 5 inches in all. Bind off 35 sts at the beginning of the next 2 rows. Work on remaining 35 sts for back of Bonnet until piece measures 5 inches from bound-off sts. Bind off.

Block. Sew bound-off sts of each side to corresponding side edge of back. With right side facing and desired color, starting at right front edge, work 2 rows of sc, then 1 row of sl sts around entire Bonnet, holding back in to fit. Cut 2 pieces of ⅝-inch ribbon, each 27 inches long, and sew in place for ties. Make 2 rosettes of remaining ribbon and sew to each side.

B-108 *Continued from page 17*

Work a row of sc along cuff edge. Ch 1, turn and work sl st loosely in each sc. Break off. Turn cuff back and pin. Work sc evenly along lower edge, catching both thicknesses at cuff (about 80 sc). With right sides together, having cuff extend beyond edge of Neckband, sl st lower edge of Hood and upper edge of Neckband together. Sew on buttons to correspond with buttonholes.

BOOTEES

TOE PIECE . . . Ch 12 to measure 1¾ inches. **1st row:** Half dc in 3rd ch from hook and in each ch across (10 half dc). Ch 3, turn. **2nd to 6th rows incl:** Work as for 2nd and 3rd rows alternately of Collar of Cap. Do not turn, but, working along side edge, ch 1, * sc in fastening ch of star st, sc in side loop of star st, sc in side loop of half dc. Repeat from * to foundation chain (9 sc), sc in 10 sts of foundation chain, work 9 sc along other long edge to correspond, then work 10 sc evenly across top of star sts (38 sc). Join with sl st in first sc, then ch 35 to measure 5½ inches for ankle, sl st in 28th sc (corresponding corner). Break off.

FOOT . . . **1st row:** With wrong side facing, attach yarn in center st of ankle chain, ch 2, half dc in next 17 ch, and in each sc around Toe Piece, making 3 half dc in each corner, half dc in next 17 ch (66 half dc). Ch 3, turn. **2nd to 6th rows incl:** Work as for 2nd and 3rd rows alternately of Collar of Cap. Ch 1, turn. **7th row:** * Sc in fastening ch of next 2 star sts, 2 sc in fastening ch of next star st. Repeat from * across (44 sc). Break off.

TOP . . . **1st row:** With wrong side facing, attach yarn in center st of ankle chain, ch 2, half dc in base of next 17 half dc, half dc in 10 sc, half dc in base of next 17 half dc (44 half dc). Ch 3, turn. **2nd to 9th rows incl:** Work as for 2nd and 3rd rows alternately of Collar of Cap. Ch 1, turn and work sl st loosely in both loops of each half dc. Break off. Sew back and sole seams. Run ribbon through at ankle and tie at front.

MITTENS

HAND . . . Starting at tip, ch 4. Join with sl st to form ring. **1st rnd:** Ch 2, 12 half dc in ring. Join with sl st in top of ch-2. **2nd rnd:** Ch 2, 2 half dc in each half dc (24 half dc). Join. **3rd rnd:** Ch 2, * half dc in next 3 half dc, 2 half dc in next half dc. Repeat from * around (30 half dc). Join. **4th rnd:** Ch 2, * half dc in next 4 half dc, 2 half dc in next half dc. Repeat from * around (36 half dc). Join. **5th rnd:** Ch 2, half dc in each half dc around (36 half dc). Join. Repeat 5th rnd until piece measures 3½ inches in all.

CUFF . . . **1st row (Wrong side):** Ch 2, * half dc in next 2 half dc, 2 half dc in next half dc. Repeat from * around (48 half dc). Ch 3, turn and, starting at 2nd row, complete same as Top of Bootee. Sew Cuff seam. Run ribbon through at wrist and tie into a bow.

Chevron Pattern Sacque

B-112 *Infant Size*

COATS & CLARK'S RED HEART BABY WOOL, 3 Ply, Art. E. 277: 3 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 802 Baby Blue.

14-inch Knitting Pins, 1 pair No. 2 and 1 pair No. 3.

2 yards of blue ribbon, ¼ inch wide.

GAUGE: Stockinette st—8 sts make 1 inch; 11 rows make 1 inch.

BLOCKING MEASUREMENTS: Chest – 20 inches; Length from shoulder to lower edge—10¾ inches; Length of sleeve seam—7½ inches.

NOTE: Garment is worked in one piece to underarm.

Starting at lower edge with No. 3 knitting pins, cast on 219 sts. Work in pattern as follows: **1st row (Right side):** K 1, * O, k 1. Repeat from * across. **2nd row:** P across, dropping O's. **3rd row:** P 3 tog, O, * p 7, O, p 1, O, p 7, p 3 tog. Repeat from * across, ending with O, p 3 tog. **4th row:** K across. The first to 4th rows incl constitute pattern. Work in pattern until piece measures 6½ inches in all, ending with the 4th pattern row.

YOKE . . . 1st row: K across, decreasing 58 sts evenly spaced on row. There are 161 sts on needle. **2nd row (Beading):** P 1, * O, p 2 tog. Repeat from * across. **3rd row:** P across. **4th row:** K across.

To Shape Armholes: Change to No. 2 knitting pins and k 35 (Right Front), bind off next 10 sts (armhole), k across next 71 sts (Back), bind off next 10 sts (armhole), k across last 35 sts.

LEFT FRONT . . . Turn, work in stockinette st (p 1 row, k 1 row) over the last set of sts only, decreasing 1 st at armhole edge every other row until 32 sts remain. Work without decreasing until piece measures 2½ inches from first row of armhole shaping, ending at front edge.

To Shape Neck: Bind off 8 sts at the beginning of the next row. Dec 1 st at neck edge every other row until 20 sts remain. Work without decreasing until piece measures 3¾ inches from first row of armhole shaping, ending at armhole edge.

To Shape Shoulders: Bind off 10 sts at the beginning of the next row. Work one more row. Bind off remaining sts.

BACK . . . Attach yarn and work in stockinette st over the 71 sts for Back, decreasing 1 st at both ends of every other row until 65 sts remain. Work without decreasing until piece measures 3¾ inches from first row of armhole shaping.

To Shape Shoulders: Bind off 10 sts at the beginning of the next 4 rows. Bind off remaining 25 sts loosely for back of neck.

RIGHT FRONT . . . Attach yarn and work to correspond to Left Front, reversing shapings.

SLEEVES . . . Starting at lower edge with No. 3 knitting pins, cast on 61 sts. **1st row (Right side):** P across. **2nd row (Beading):** P 1, * O, p 2 tog. Repeat from * across. **3rd row:** P across. **4th row:** K across. Change to No. 2 knitting pins and work in stockinette st (k 1 row, p 1 row) until piece measures 7½ inches.

To Shape Top: Bind off 5 sts at the beginning of the next 2 rows. Dec 1 st at

Continued on page 29



B-112 *Continued from page 28*

both ends of every other row until 45 sts remain. Bind off.

NECKBAND . . . Sew shoulder seams. With right side of work facing and No. 2 knitting pins, pick up and knit 73 sts around entire neck edge. **1st row:** K across. **2nd row:** P across. **3rd row (Beading):** P 1, * O, p 2 tog. Repeat from * across. **4th row:** P across. Bind off in knitting.

Block to measurements. Sew sleeve seams. Sew in sleeves. With right side of work facing, work 1 row of sc on each front edge. Lace ribbon through beadings, leaving enough ribbon free for ties.

HOW TO LAUNDER WOOLEN GARMENTS . . .

Make a solution of lukewarm water and good quality soap flakes—not too much soap. Place the soiled garment into solution, squeeze the suds through until garment is thoroughly cleansed. Rinse thoroughly in several warm waters until soap is removed. Squeeze out excess water. Do not wring. Place in a clean bath towel, roll tightly until some of the moisture is absorbed. Do not hang garment, but lay flat on towel to dry. Block to measurements.

Fan-stitch Shawl

B-113 *Measures 50 inches square*

COATS & CLARK'S RED HEART BABY WOOL, 3 Ply, Art. E. 284, 5 skeins (2 oz. "Tangle-Proof" Pull-Out Skeins) of No. 1 White.

Knitting Pins, 1 pair No. 8.

Starting at one side of center, cast on 100 sts. **1st to 200th rows incl:** Sl 1, k across.

BORDER . . . 1st row (Right side): K 4, * inc 1 st in next st, k 9. Repeat from * across, ending with inc 1 st in next st, k 5—place a marker to indicate right side of work (110 sts). **2nd row (Pattern row):** K 2, O, k 9, * (O, k 1) 8 times, (k 2 tog) twice, k 4, (k 2 tog) twice. Repeat from * to within last 11 sts, k 9, O, k 2 (136 sts). **3rd to 7th rows incl:** Knit each row. **8th row:** K 2, (O, k 1) twice, k 4, (k 2 tog) 4 times, * (O, k 1) 8 times, (k 2 tog) 8 times. Repeat from * to within last 24 sts, (O, k 1) 8 times, (k 2 tog) 4 times, k 4, (O, k 1) twice, k 2 (140 sts). **9th to 13th rows incl:** K across.

NOTE: Between each pattern row, repeat 9th to 13th rows incl. **14th row:** K 2, (O, k 1) 3 times, k 3, (k 2 tog) 5 times, * (O, k 1) 8 times, (k 2 tog) 8 times. Repeat from * to within last 26 sts, (O, k 1) 8 times, (k 2 tog) 5 times, k 3, (O, k 1) 3 times, k 2 (144 sts). **20th row:** K 2, (O, k 1) 4 times, k 2, (k 2 tog) 6 times, * (O, k 1) 8 times, (k 2 tog) 8 times. Repeat from * to within last 28 sts, (O, k 1) 8 times, (k 2 tog) 6 times, k 2, (O, k 1) 4 times, k 2 (148 sts). **26th row:** K 2, (O, k 1) 5 times, k 1, (k 2 tog) 7 times, * (O, k 1) 8 times, (k 2 tog) 8 times. Repeat from * across to within last 30 sts, (O, k 1) 8 times, (k 2 tog) 7 times, k 1, (O, k 1) 5 times, k 2 (152 sts). **32nd row:** K 3, (O, k 1) 5 times, * (k 2 tog) 8 times, (O, k 1) 8 times. Repeat from * to within last 24 sts, (k 2 tog) 8 times, (O, k 1) 5 times, k 3 (154 sts).

38th row: K 1, k 2 tog, (O, k 1) 6 times, * (k 2 tog) 8 times, (O, k 1) 8 times. Repeat from * to within last 25 sts, (k 2 tog) 8 times, (O, k 1) 6 times, k 2 tog, k 1 (156 sts). **44th row:** K 2, k 2 tog, (O, k 1) 6 times, * (k 2 tog) 8 times, (O, k 1) 8 times. Repeat from * to within last 26 sts, (k 2 tog) 8 times, (O, k 1) 6 times, k 2 tog, k 2 (158 sts).

50th row: K 2, k 2 tog, (O, k 1) 7 times, * (k 2 tog) 8 times, (O, k 1) 8 times. Repeat from * to within last 27 sts, (k 2 tog) 8 times, (O, k 1) 7 times, k 2 tog, k 2 (162 sts). **56th row:** K 2, (k 2 tog) twice, (O, k 1) 7 times, * (k 2 tog) 8 times, (O, k 1) 8 times. Repeat from * to within last 29 sts, (k 2 tog) 8 times, (O, k 1) 7 times, (k 2 tog) twice, k 2 (164 sts). **62nd row:** K 2, (k 2 tog) twice, * (O, k 1) 8 times, (k 2 tog) 8 times. Repeat from * to within last 14 sts, (O, k 1) 8 times, (k 2 tog) twice, k 2 (168 sts). **68th row:** K 4, (k 2 tog) twice, * (O, k 1) 8 times, (k 2 tog) 8 times. Repeat from * to within last 16 sts, (O, k 1) 8 times, (k 2 tog) twice, k 4 (172 sts). **74th row:** K 3, (k 2 tog) 3 times, (O, k 1) 9 times, * (k 2 tog) 8 times, (O, k 1) 8 times. Repeat from * to within last 34 sts, (k 2 tog) 8 times, (O, k 1) 9 times, (k 2 tog) 3 times, k 3 (176 sts). **75th to 79th rows incl:** Knit across. Bind off very loosely at end of 79th row. Working along opposite side of cast-on sts, pick up and k 110 sts. Repeat 2nd to 79th rows incl, complete as before. Work border on remaining 2 sides in same way.

Sew corners neatly together with loose sts. Block to measurements.



Baby's Sacque, Bonnet and Bootees

B-114 *Infant Size*

Illustrated on Back Cover

COATS & CLARK'S RED HEART BABY WOOL, 3 Ply, Art. E. 277: 6 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 679 Nile Green.

Knitting Pins, 1 pair each No. 2 and No. 3.

3½ yards ribbon, ½ inch wide.

GAUGE: Pattern St: 6 sts make 1 inch; 10 rows make 1 inch. **Stockinette st:** 8 sts make 1 inch; 10 rows make 1 inch.

BLOCKING MEASUREMENTS: Width across back at underarm—10″; width across each front at underarm—6″; length from shoulder to lower edge—10½″; length of sleeve seam—6″.

SACQUE

Starting at lower edge with No. 3 knitting pins, cast on 210 sts. **1st and 2nd rows:** Knit across. **3rd row:** Wrapping yarn twice around needle for each st, k across. **4th row (Right side):** * Dropping the extra loop of each st, slip the next 6 sts to right-hand needle, lift the first 3 sts over last 3 sts onto left-hand needle, slip remaining 3 sts to left-hand needle, k these 6 sts in their reversed order. Repeat from * across. The first to 4th rows incl constitute pattern. Work in pattern until piece measures 6 inches, ending with first row of pattern.

YOKE . . . Change to No. 2 knitting pins. **1st row:** K 12 for front border, place a marker on needle, k 2 tog twice, * k 4, k 2 tog. Repeat from * to within last 20 sts, k 4, k 2 tog twice, place marker on needle, k 12 for front border (177 sts). **2nd row:** Work in pattern to first marker, p to last marker, work in pattern across last 12 sts. Keeping 12 sts at each edge in pattern and remaining sts in stockinette st (k 1 row, p 1 row), work until Yoke measures ½ inch, ending with a row on wrong side.

To Shape Armholes: Work first 43 sts and place these sts on stitch holder for right front, bind off the next 6 sts; k across next 79 sts and place these sts on another holder for back; bind off the next 6 sts, work to end of row.

LEFT FRONT . . . Work over the last set of sts only, decreasing 1 st at armhole edge every other row 3 times in all (40 sts). Work without decreasing until piece measures 3 inches from first row of armhole shaping, ending at front edge.

To Shape Neck: Work the 12 sts of border and place on stitch holder, work to end of row. Dec 1 st at neck edge on each

Continued on page 33

B-114 *Continued from page 32*

of the next 6 rows (22 sts). Work without decreasing until piece measures 4 inches from first row of armhole shaping. Bind off.

BACK . . . With wrong side facing, p sts from back holder. Work in stockinette st, decreasing 1 st at both ends of every other row 3 times in all (73 sts). Work without decreasing until piece measures 4 inches from first row of armhole shaping.

To Shape Shoulders: Bind off 22 sts at beginning of the next 2 rows. Bind off remaining 29 sts for back of neck.

RIGHT FRONT . . . With wrong side facing, work across remaining sts. Complete to correspond to Left Front, matching pattern at neck edge.

SLEEVES . . . With No. 3 knitting pins, cast on 48 sts. Work in pattern st for 13 rows. Change to No. 2 knitting pins. **Next row:** K 3, * inc 1 st in next st, k 5. Repeat from * to last 3 sts, inc 1 st in next st, k 2 (56 sts). Work in stockinette st until piece measures 6 inches.

To Shape Top: Bind off 3 sts at beginning of the next 2 rows. Dec 1 st at both ends of every other row until 28 sts remain. Dec 1 st at both ends of every row until 16 sts remain. Bind off.

NECKBAND . . . Sew shoulder seams. With No. 3 knitting pins and right side facing, slip the sts from right front holder on needle, attach yarn and pick up 48 sts around neck, work in pattern across sts from left front holder. Work 5 rows of pattern, bind off.

Block to measurements. Sew sleeve seams and sew in sleeves. Run ribbon through neckband and center of cuffs, tie in a bow.

BONNET

Starting at front edge with No. 3 knitting pins, cast on 102 sts. Work in pattern st for 14 rows for cuff. Change to No. 2 knitting pins. **Next row:** K 8, * k 2 tog, k 15. Repeat from * to within last 9 sts, k 2 tog, k 7 (96 sts). Continue in stockinette st until piece measures 4½ inches from last row of pattern st.

To Shape Back: Bind off 32 sts at beginning of each of the next 2 rows. Continue in stockinette st on the center 32 sts until piece measures 4 inches above bound-off sts, decreasing 8 sts evenly spaced on last row. Place remaining 24 sts on a holder.

NECKBAND . . . Sew back seams. Turn back cuff and sew ends in place. With No. 2 knitting pins and right side facing, working through double thickness across cuff, pick up and k 32 sts along side edge, k sts from holder, pick up and k 32 sts along other side edge (88 sts). Work in ribbing of k 1, p 1 for ½ inch. Bind off tightly in ribbing.

Press. Run ribbon through cuff. Trim with ribbon bow at each front corner. Cut 2 ties of ribbon, each 13 inches long, and sew one to each side.

BOOTEES

Starting at top with No. 3 knitting pins, cast on 42 sts. Work in pattern st for 21 rows.

To Shape Instep: K 12 and place these sts on a holder, k center 18 sts, place remaining 12 sts on another holder. Continue in pattern on 18 sts until instep measures 2 inches, ending with first row of pattern. Break off.

To Shape Foot: With No. 2 knitting pins and right side facing, slip the sts from first holder on needle, attach yarn, pick up and k 15 sts along side of instep, k sts of instep, pick up and k 15 sts along other side of instep, k sts from other holder (72 sts). Work in garter st (k each row) for 12 rows (6 ridges).

To Shape Sole: 1st row: K 1, k 2 tog, k 31, k 2 tog, place a marker on needle, k 2 tog, k to last 3 sts, k 2 tog, k 1. **2nd row:** Knit across, slipping markers. **3rd row:** K 1, k 2 tog, k to within 2 sts before marker, k 2 tog, slip marker, k 2 tog, k to within last 3 sts, k 2 tog, k 1. Repeat 2nd and 3rd rows until 48 sts remain. Bind off.

Sew sole and back seams. Press. Run ribbon through pattern at ankle and tie ends in front in a bow.

B-100 *Continued from page 3*

k 1 row), decreasing 1 st at both ends of every other row until 80 sts remain. Work without decreasing until piece measures 3 inches from first row of armhole shaping.

To Shape Neck and Shoulders: Work over next 26 sts, bind off next 28 sts for neck, work over remaining 26 sts. Now work over the last set of sts only for ¾ inch, decreasing 1 st at neck edge every other row 2 times in all. Bind off. Attach yarn to other side and work to correspond.

RIGHT FRONT . . . Slip sts from stitch holder onto a knitting pin, attach yarn and work to correspond to Left Front, reversing shapings.

SLEEVES . . . Starting at cuff, cast on 40 sts. Work in k 1, p 1 ribbing for 1 inch. Increasing 4 sts evenly spaced in first row, work in pattern st for ¾ inch, ending on wrong side. Increasing 4 sts evenly spaced in first row, work in stockinette st for ½ inch, ending on wrong side. **Next row:** Increasing 1 st at both ends, p across. Work pattern st for ¾ inch. Continue to work stripes as for Body, increasing 1 st at both ends of first row of each stripe until there are 58 sts on row and the 4th pattern st stripe is completed. Now continue in stockinette st only. Work 4 rows.

To Shape Top: Bind off 3 sts at beginning of next 2 rows. Dec 1 st at both ends of every other row until piece measures 1 inch from first row of top shaping. Bind off 4 sts at beginning of next 4 rows. Bind off remaining sts.

NECKBAND . . . Sew shoulder seams. With right side facing, starting at right front edge, pick up and k 101 sts around entire neck edge. **1st row:** K 1, * p 1, k 1. Repeat from * across. **2nd row:** P 1, * k 1, p 1. Repeat from * across. Repeat last 2 rows once. **Next row (Beading):** K 1, * p 2 tog, O, p 1, k 1. Repeat from * across. Work 2nd, first and 2nd rows. Bind off in ribbing.

Block to measurements. Sew sleeve seams, sew in sleeves. Sc across front edges. Lace ribbon through beading at neckband and tie into a bow.

BONNET

Starting at cuff edge, cast on 100 sts. Work in pattern st as for Sacque for ¾ inch, ending on wrong side. Work 9 rows in garter st (k each row). Now work a stockinette st stripe (k 1 row, p 1 row) for ½ inch, ending with a p row, then p 1 row and make a ¾-inch stripe of pattern st, ending on wrong side. Repeat last 2 stripes twice. **Next 2 rows:** Bind off 33 sts at beginning of next 2 rows. Continue in stripe pattern over remaining 34 sts until the 3rd pattern st stripe is completed. Bind off. Sew center piece along bound-off sts. Fold cuff to right side at center of garter st ridges. Tack first and last rows of garter st together. With right side facing, pick up and k 97 sts along lower edge. Work exactly as for Neckband of Sacque. Press lightly through a damp cloth. Lace ribbon through beading and tie into a bow.

BOOTEES

Starting at top, cast on 44 sts. Work in pattern st for 1 inch, then work stockinette st for ½ inch. Now continue in k 1, p 1 ribbing for 4 rows. **Next row (Beading):** K 1, * p 2 tog, O, p 1, k 1. Repeat from * across to last 3 sts, p 2 tog, O, p 1. Work 3 rows in ribbing.

To Shape Instep: K 15 and slip on a stitch holder, k over next 14 sts, slip remaining 15 sts on another stitch holder. Continue in pattern st on the 14 sts until instep measures 1½ inches. Break off.

To Shape Foot: With right side facing, slip the sts from first stitch holder onto a knitting pin, attach yarn, pick up and k 13 sts along side of instep, k sts of instep, pick up and k 13 sts along other side of instep, k sts from other stitch holder (70 sts). Work in garter st (k each row) for 1 inch.

To Shape Sole: 1st row: K 1, k 2 tog, k 30, k 2 tog, place a marker on needle, k 2 tog, k to last 3 sts, k 2 tog, k 1. **2nd row:** K across, slipping marker. **3rd row:** K 1, k 2 tog, k to within 2 sts before marker, k 2 tog, slip marker, k 2 tog, k to within last 3 sts, k 2 tog, k 1. Repeat last 2 rows once. Bind off.

Continued on page 35

B-100 *Continued from page 34*

Sew sole and back seams. Press. Lace ribbon through beading and tie in a bow.

MITTENS

Starting at cuff, cast on 40 sts. Work in k 1, p 1 ribbing for 1 inch, ending with 2nd row. **Next row (Beading):** Work as for beading of Bootees. Now work over first 20 sts in pattern st and over remaining 20 sts in garter st until piece measures 3½ inches in all.

To Shape Tip: 1st row: * K 3, k 2 tog. Repeat from * across. **2nd, 4th and 6th rows:** K across. **3rd row:** * K 2, k 2 tog. Repeat from * across. **5th row:** * K 1, k 2 tog. Repeat from * across. **7th row:** * K 2 tog. Repeat from * across. **8th row:** K across. Break off, leaving an 8-inch length of yarn. Thread this yarn into a needle and draw through remaining sts. Pull up tightly and fasten on wrong side. Sew side seam. Press. Lace ribbon through beading and tie in bow.

Knitted Soaker B-105 *Illustrated on page 12*

COATS & CLARK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E. 230-B, or

COATS & CLARK'S RED HEART NYLON & WOOL GERMANTOWN, 4 Ply, Art. E. 272: 2 skeins (2 oz. "Tangle-Proof" Pull-Out Skeins) of No. 737 Pink.

Knitting Pins, 1 pair No. 3 and 1 pair No. 6.

GAUGE: Pattern st: 9 sts make 2 inches; 9 rows make 1 inch.

Starting at front waistband with No. 6 knitting pins, cast on 47 sts. Change to No. 3 knitting pins and work waistband in ribbing as follows: **1st row:** K 1, * p 1, k 1. Repeat from * across. **2nd row:** K 2, * p 1, k 1. Repeat from * across, ending with k 2. **3rd and 4th rows:** Repeat first and 2nd rows. **5th row (Beading):** K 1, * O, k 2 tog. Repeat from * across. **6th, 7th and 8th rows:** Repeat 2nd, first and 2nd rows. Change to No. 6 knitting pins and work in pattern st as follows: **1st row (Right side):** K 2, * k 1 in the st directly below next st on left-hand needle and slip off the st from left-hand needle (a knit 1 below made), k 1. Repeat from * across, ending with k 2. **2nd row:** K across. **3rd row:** K 2, * k 1, k 1 below. Repeat from * across, ending with k 3. **4th row:** K across. Repeat first to 4th rows incl for 7 inches, ending with an odd row.

Change to No. 3 knitting pins and work crotch as follows: **1st row (Wrong side):** * K 2, p 2. Repeat from * across, ending with k 1, k 2 tog. **2nd row:** K 4, * p 2, k 2. Repeat from * across, ending with k 4. **3rd row:** K 2, * p 2, k 2. Repeat from * across. Repeat 2nd and 3rd rows until piece measures 12 inches in all, ending with 3rd row; inc 1 st in last st. Change to No. 6 knitting pins and work in pattern st until piece measures 18 inches in all, ending with an even row. Change to No. 3 knitting pins and work 8th to first rows incl of waistband. Bind off loosely in ribbing. Fold piece in half and, starting at top of waistband, sew side edges together for 7 inches. Run ribbon through beading and tie.

ABBREVIATIONS

ch . . . . . chain
sc . . . . . single crochet
half dc . . . . . half double crochet
dc . . . . . double crochet
tr . . . . . treble
sl st . . . . . slip stitch
k . . . . . knit
p . . . . . purl
sp . . . . . space
inc . . . . . increase
dec . . . . . decrease
O . . . . . yarn over
tog . . . . . together
p.s.s.o. . . . pass slipped st over knit st

* (asterisk) . . . Repeat instructions following asterisk as many times as specified. Repeat instructions in parentheses as many times as specified. For example: "**(Ch 5, sc in next sc) 5 times**" or "**(O, p 2 tog) 5 times**" means to make all in parentheses 5 times in all.